

Amsterdam AMS-KOO.

Power & cooling

Total power supply to site: 2000 kVA in

N configuration

Total generator power: 1800 kVA Total UPS power: 1250 kVA Cooling type: Chillers & DX

Total cooling: 1400 kW in N+1 configuration

Building specification

Gross size of data centre: 4500 m² Net size of customer space: 2250 m² Building type: Steel frame warehouse

Building tenure: Leasehold **Number of data suites:** 4 **Suit expansion available:** Yes

Max floor loading capacity: 1000 kg/m² Max raise floor height: 400 - 650mm

Connectivity

This facility provides double fibre entry and diverse paths within the building connecting directly to the Interoute 100g backbone network. Our colocation facilities are designed to deliver laaS and virtualised services as part of an integrated platform, delivering any service(s) over any access type, allowing in-life service changes, enabling you to connect your people, buildings and data in a way that suits you.

Location

Address: Koolhovenlaan 120, Schiphol-Rijk, 1119 NH, Netherlands **Location:** 52°16′47.2″N 4°45′23.7″E

Email: info@interoute.nl **Website:** www.interoute.nl

Security & support

24 x 7 x 365 helpdesk 24 x 7 x 365 hand and eyes 24 x 7 x 365 security guard Critical facility monitoring Perimeter & internal CCTV Intrusion detection

Mantrap

Customer access list

Fire detection & suppression

VESDA & smoke detection system Gas suppression systems

Colocation services

SLA: 99.999% power availability **Service type:** Data centre

Service type. Data centi

½ rack Rack Footprint

Power feed: Active A+B feed

AC power: Supports 2-7 kW per rack as

standard

DC power: 10A, 20A & 40A power configurations available on demand **Cage & private suites**: Configuration on

demand

31 Colocation centres across

Europe including

Berlin • Brussels •

Geneva • Ghent •

Madrid • Milan •

Munich • Paris •

London • Rome •

Stockholm • Zurich





ISAE 3402/ SSAE 16 Type II





